

## สรุปรวมคะแนนคอมพิวเตอร์โปรแกรมมิ่ง 1 ภาคการศึกษา 2557-1

	Quiz 1	Quiz 2	Quiz 3	Quiz 4	Quiz 5	MidPaper	MidLab	FinalPaper	FinalLab	Assist	Total	เกรด	Grade
	5%	5%	5%	5%	5%	15%	25%	15%	25%	6%	100+%		
7510490	4.05	5	5	5	5	15	28	7.99	14.85	3.31	93.2	4.0	A
7510551	2.15	5	5	0	0	6.6	6	3.98	0	3.16	31.9	0.0	F
7510672	4.7	5	0	5	5	7.275	14.5	7.39	0	4.56	53.4	2.0	C
7540625	5	5	5	5	5	13.05	35	12.04	40.5	4.91	130.5	4.0	A
7540761	5	5	0	0	0	12.75	22	4.43	0	4.99	54.2	2.0	C
7550547	4.1	0	0	0	0	10.35	19	8.03	0	4.51	46.0	1.0	D
7560413	2.45	5	0	0	0	1.65	2.8	0.00	0	2.10	14.0	0.0	F
7560439	2.05	5	0	0	0	5.55	8.5	5.70	0	6.00	32.8	0.0	F
7560451	4	5	0	0	5	12.75	6.6	6.60	0	5.25	45.2	1.0	D
7560452	4.55	5	5	0	0	10.05	13.4	6.94	0	5.33	50.3	1.5	D+
7560453	3.6	5	0	5	5	9.45	23	5.85	0	3.50	60.4	2.5	C+
7560456	3.05	5	0	0	2.5	8.85	10.4	4.31	0	4.16	38.3	1.0	D
7560467	3.7	5	5	5	0	6	23	6.53	13.5	6.00	73.7	3.5	B+
7560474	2.75	5	0	0	0	4.65	7	2.93	0	6.00	28.3	0.0	F
7560484	1.75	0	0	0	0	4.2	1.2	1.73	0	3.30	12.2	0.0	F
7560489	3.3	5	0	0	2.5	9.3	23	6.08	0	6.00	55.2	2.0	C
7560532	4.45	5	0	0.5	5	11.7	20	7.95	4.05	6.00	64.7	2.5	C+
7560536	3.65	5	0	0	0	10.2	18	2.48	0	4.86	44.2	1.0	D
7560541	4.1	5	0	0	2.5	6	15.6	6.53	0	3.06	42.8	1.0	D
7560548	3.75	5	0	0	0	8.1	7.4	3.45	0	5.70	33.4	0.0	F
7560549	3.25	5	5	0	0	8.7	19	6.30	0	5.52	52.8	2.0	C
7560583	0	0	0	0	0	4.65	4	0.00	0	0.77	9.4	0.0	F
7560589	1.65	0	0	0	0	2.55	0	0.00	0	1.92	6.1	0.0	F
7560590	4.2	5	5	0	0	7.05	7.6	8.14	0	5.65	42.6	1.0	D
7560592	3.15	0	0	0	0	8.25	10	4.58	0	6.00	32.0	0.0	F
7560597	3.75	0.5	5	0	0	8.7	15	4.73	0	4.90	42.6	1.0	D
7560605	4.05	5	5	0.5	5	10.65	23	4.43	13.5	6.00	77.1	3.5	B+
7560606	2.55	0	0	0	0	5.55	5	0.00	0	5.53	18.6	0.0	F
7570465	3.35	0.5	5	0	0	7.05	14.5	5.10	0	6.00	41.5	1.0	D
7570467	2.8	5	5	0	2.5	8.7	7	5.55	0	4.00	40.6	1.0	D
7570468	1.6	0	0	0	0	4.05	0	2.55	0	6.00	14.2	0.0	F
7570469	2.4	0	0	0	0	4.35	0	1.35	0	3.87	12.0	0.0	F
7570471	0.9	0	0	0	0	5.4	0	0.15	0	2.60	9.1	0.0	F
7570472	5	5	5	5	5	14.25	30	11.55	13.5	6.00	100.3	4.0	A
7570473	2.75	5	5	0	5	9.3	14.4	9.23	13.5	6.00	70.2	3.0	B
7570474	3.9	5	0	0	0	9.6	8.5	6.56	0	6.00	39.6	1.0	D
7570475	0.75	0	0	0	0	6	0	0.00	0	2.72	9.5	0.0	F
7570476	1.1	0	0	0	0	0	0	0.00	0	3.62	4.7	0.0	F
7570477	4.5	5	5	5	5	13.95	14.5	11.78	13.5	6.00	84.2	4.0	A
7570478	3	0	5	0	0	10.8	12.9	8.10	0	5.23	45.0	1.0	D
7570479	1.3	0	0	0	0	8.85	4	0.83	0	5.15	20.1	0.0	F
7570480	3.15	0	0	0	0	3.15	2.8	0.00	0	2.46	11.6	0.0	F
7570481	0	0	0	0	0	2.4	0.4	0.00	0	1.76	4.6	0.0	F
7570482	3.2	5	0	0	0	12.3	10.2	7.88	0	6.00	44.6	1.0	D
7570483	0.55	0	0	0	0	2.85	0	0.00	0	3.29	6.7	0.0	F
7570484	2.75	0	1	0	0	4.95	7	2.93	0	5.42	24.0	0.0	F
7570485	4.45	5	5	0	5	15	16	6.86	0	6.00	63.3	2.5	C+
7570486	2.75	0	5	0	0	6.45	5	0.00	0	3.98	23.2	0.0	F
7570487	2.75	5	0	0	0	9.3	3.2	4.43	0	6.00	30.7	0.0	F

7570488	2.2	0	5	0	0	8.55	9	7.54	0	5.42	37.7	1.0	D
7570489	0.7	0	0	0	0	8.25	0	2.10	0	5.07	16.1	0.0	F
7570490	5	5	5	5	5	13.95	35	10.09	13.5	5.41	102.9	4.0	A
7570491	0.85	0	0	0	0	4.5	0	1.28	0	2.99	9.6	0.0	F
7570492	2.1	0	0	0	0	6.45	2	2.14	0	5.53	18.2	0.0	F
7570493	4.35	5	5	5	5	14.4	23	11.40	40.5	6.00	119.7	4.0	A
7570494	3.85	0	5	0	0	4.5	4.4	3.15	0	6.00	26.9	0.0	F
7570496	0.95	0	0	0	0	1.5	0	0.00	0	1.87	4.3	0.0	F
7570497	3.35	0	5	5	5	13.35	14.4	9.75	27	6.00	88.9	4.0	A
7570498	2.85	0	5	0	0	7.05	15	4.61	0	4.86	39.4	1.0	D
7570501	2.85	0	0	0	0	8.55	0	1.13	0	2.40	14.9	0.0	F
7570503	2.9	0	5	0	0	7.05	0.4	0.00	0	6.00	21.4	0.0	F
7570504	3.1	5	5	0	0	6.3	3.8	0.83	0	5.62	29.6	0.0	F
7570505	3.75	5	5	5	0	11.7	2.4	8.70	13.5	6.00	61.1	2.5	C+
7570506	1.15	0	0	0	0	3.9	0	0.15	0	4.63	9.8	0.0	F
7570507	3.85	5	5	5	5	15	14.6	10.84	13.5	6.00	83.8	4.0	A
7570508	2.55	5	0	0	0	7.8	8.5	7.09	0	5.39	36.3	1.0	D
7570509	1.7	0	0	0	0	4.8	4	2.33	0	6.00	18.8	0.0	F
7570510	3.75	0	0	0	0	8.25	4.3	5.66	0	5.95	27.9	0.0	F
7570511	0.6	0	0	0	0	1.8	0	0.60	0	3.50	6.5	0.0	F
7570512	2.55	0	0	0	0	7.8	8.5	5.55	0	6.00	30.4	0.0	F
7570514	4.1	0	0	5	0	11.25	6	3.90	0	3.85	34.1	0.0	F
7570515	1.15	0	0	0.5	0	4.5	7	0.90	13.5	5.92	33.5	0.0	F
7570516	2.5	0	0	0	0	5.25	3.6	0.15	0	5.95	17.4	0.0	F
7570518	4.85	5	5	5	5	13.95	30	11.85	40.5	6.00	127.2	4.0	A
7570519	2.6	0	0	0	0	6.45	2	1.80	0	5.78	18.6	0.0	F
7570520	1.35	0	0	0	0	4.65	0	0.00	0	2.51	8.5	0.0	F
7570521	2.15	0	0	0	0	7.95	0	0.00	0	2.50	12.6	0.0	F
7570522	0	0	0	0	0	3.15	0	0.00	0	1.69	4.8	0.0	F
7570523	1.55	0	0	0	0	6.45	0	2.25	0	5.82	16.1	0.0	F
7570524	3.05	5	0	0	0	8.55	3	8.48	0	6.00	34.1	0.0	F
7570526	2.6	0	0	0	0	6.15	0	0.00	0	2.34	11.1	0.0	F
7570527	2.4	0	0	0	0	8.1	2	2.85	0	6.00	21.4	0.0	F
7570528	1.05	0	0	0	0	2.1	0	0.30	0	3.71	7.2	0.0	F
7570529	3.1	5	5	0	5	15	1.5	3.90	0	5.86	44.4	1.0	D
7570530	2.7	5	0	0	0	14.55	15	5.48	0	5.95	48.7	1.5	D+
7570531	1.6	0	0	0	0	7.95	0	0.98	0	2.94	13.5	0.0	F
7570532	4.55	5	5	0.5	5	11.1	18	7.01	0	6.00	62.2	2.5	C+
7570533	2.8	0	0	0	0	7.95	0	1.35	0	2.83	14.9	0.0	F
7570534	4.85	5	5	5	5	14.25	26	4.99	13.5	5.41	89.0	4.0	A
7570536	2.5	0	0	0	0	4.65	0	0.00	0	1.87	9.0	0.0	F
7570537	1	0	0	0	0	7.8	5.1	0.00	0	2.21	16.1	0.0	F
7570538	2.85	5	0	0	0	11.85	15	6.79	0	4.93	46.4	1.0	D
7570539	4.8	5	0	0.5	2.5	14.1	8	5.93	0	6.00	46.8	1.5	D+
7570541	2.95	0	0	0	0	4.65	4	0.45	0	4.92	17.0	0.0	F
7570542	1.7	0	0	0	0	5.1	0	0.00	0	2.59	9.4	0.0	F
7570543	3.5	0	5	0	5	4.65	6	6.49	13.5	5.90	50.0	1.5	D+
7570544	3.3	5	5	0	5	12.75	8.5	6.68	0	4.67	50.9	1.5	D+
7570547	3.6	0	0	0	0	3.9	0	1.65	0	2.98	12.1	0.0	F
7570548	4.2	0	0	0	0	10.05	3.2	0.00	0	2.60	20.1	0.0	F
7570549	4.45	0	5	0	0	15	15.4	4.73	13.5	5.65	63.7	2.5	C+
7570550	0.85	0	0	0	0	3.15	0	1.50	0	5.41	10.9	0.0	F

7570551	4.55	5	5	0	5	9.9	6.6	8.55	0	6.00	50.6	1.5	D+
7570552	1.65	0	0	0	0	8.25	2	0.00	0	2.28	14.2	0.0	F
7570553	1.9	0	0	0	0	7.5	0	0.00	0	1.99	11.4	0.0	F
7570555	2.2	0	0	0	0	4.2	0	1.50	0	3.74	11.6	0.0	F
7570556	3.1	5	5	4.5	5	12.45	27.5	5.14	0	3.75	71.4	3.0	B
7570557	1.65	0	0	0	0	6.225	0	4.28	0	5.39	17.5	0.0	F
7570558	0.65	5	0	0	0	7.05	14.1	4.13	0	5.36	36.3	1.0	D
7570559	3.15	5	5	0	0	6.3	1.5	5.66	0	5.70	32.3	0.0	F
7570561	2.95	5	5	0.5	0	12	0	5.59	0	6.00	37.0	1.0	D
7570562	2.2	0	0	0	0	5.85	7	1.50	0	5.90	22.5	0.0	F
7570563	0.8	0	5	0	0	3.3	0	1.05	0	5.70	15.9	0.0	F
7570564	4.3	5	5	0.5	0	10.2	19	7.43	0	5.75	57.2	2.0	C
7570565	1.95	5	0	0	0	8.85	4.4	2.55	0	5.95	28.7	0.0	F
7570613	3.15	0	0	0	0	6.6	2.8	0.00	0	2.37	14.9	0.0	F
7570614	2.6	0	0	0	0	6.45	8.5	3.23	0	6.00	26.8	0.0	F
7570615	1.85	0	0	0	0	2.55	0	0.38	0	5.17	9.9	0.0	F
7570618	2.25	0.5	0	0	0	9.3	1	5.29	0	6.00	24.3	0.0	F
7570619	1.25	0	0	0	0	3.3	0	0.00	0	2.34	6.9	0.0	F
7570620	3.7	5	5	5	5	11.7	15	7.01	0	2.97	60.4	2.5	C+
7570621	3.25	0	0	0	0	6.15	6.5	0.00	0	2.21	18.1	0.0	F
7570622	1.2	0	0	5	0	3.15	0	1.58	0	6.00	16.9	0.0	F
7570624	0.95	0	0	0	0	3	0	0.30	0	3.09	7.3	0.0	F
7570625	1.65	0	0	0	0	1.8	0	0.00	0	2.05	5.5	0.0	F
7570626	4.15	0	0	0	0	8.7	3	9.34	13.5	5.82	44.5	1.0	D
7570627	1.75	0	0	0	0	4.95	0	1.13	0	3.14	11.0	0.0	F
7570631	3.15	0	5	0	0	8.55	2.4	1.43	0	3.54	24.1	0.0	F
7570632	3.4	5	5	5	5	15	19	10.46	27	6.00	100.9	4.0	A
7570633	0.05	0	0	0	0	4.65	0	2.25	0	6.00	13.0	0.0	F
7570634	3.5	0	0	0	0	5.25	4	2.93	0	6.00	21.7	0.0	F
7570637	3.7	0	0	0	0	12.525	18	5.03	0	5.74	45.0	1.0	D
7570639	4.25	0	0	0	0	10.05	7	5.03	0	5.25	31.6	0.0	F
7570641	1.3	0	0	0	0	0.9	0	0.00	0	2.50	4.7	0.0	F
7570643	4.35	5	5	0	0	9.3	7	5.36	0	2.99	39.0	1.0	D
7570644	4.55	5	5	5	5	8.55	15.4	7.84	0	6.00	62.3	2.5	C+
7570645	1.7	0	0	0	0	8.7	5.5	2.10	0	4.95	22.9	0.0	F
7570647	1.65	0	0	0	0	5.4	0	0.83	0	5.79	13.7	0.0	F
7570648	1.2	0	0	0	0	2.7	0	0.00	0	3.92	7.8	0.0	F
7570650	3.75	0	0	0	0	11.85	4	1.88	0	6.00	27.5	0.0	F
7570651	2.45	5	0	0	0	9.6	9	4.35	0	6.00	36.4	1.0	D
7570654	2.95	5	0	0	1	7.2	3	7.24	0	5.78	32.2	0.0	F
7570655	2.35	0	0	0	0	10.65	0	0.00	0	5.59	18.6	0.0	F
7570656	1.45	0	0	0	0	2.55	0	1.50	0	2.88	8.4	0.0	F
7570657	2.75	0	5	0	0	5.55	0	1.13	0	2.67	17.1	0.0	F
7570658	4.5	5	5	5	5	15	14.5	7.58	0	6.00	67.6	3.0	B
7570659	3.5	0	5	0	0	12.3	5.2	5.93	0	6.00	37.9	1.0	D
7570660	3.4	0	0	0	0	4.05	3.9	3.38	0	5.20	19.9	0.0	F
7570661	0.9	0	0	0	0	1.95	2	0.00	0	2.50	7.3	0.0	F
7570663	3.1	5	5	0	0	9	19	3.08	0	6.00	50.2	1.5	D+
7570664	2.65	0	0	0	0	7.95	0	0.00	0	1.69	12.3	0.0	F
7570666	4.55	0	5	5	5	13.8	23	7.58	0	5.24	69.2	3.0	B
7570667	0.75	0	0	0	0	1.8	2.4	0.00	0	3.24	8.2	0.0	F
7570668	3.65	5	0	0	5	13.35	12	8.96	0	5.37	53.3	2.0	C

7570669	0.75	0	0	0	0	1.8	0	0.00	0	2.36	4.9	0.0	F
7570670	0.7	0	0	0	0	4.65	0	2.55	0	5.82	13.7	0.0	F
7570671	2.85	0	5	0	0	8.55	4.8	5.70	0	6.00	32.9	0.0	F
7570673	1.85	5	5	0	0	8.55	7.1	2.89	0	5.95	36.3	1.0	D
7570674	5	5	0	0	5	15	18.1	8.44	13.5	6.00	76.0	3.5	B+
7570675	1.65	0	5	0	0	9	0.4	2.03	0	5.53	23.6	0.0	F
7570676	1.35	0	0	0	0	4.65	0.5	2.10	0	6.00	14.6	0.0	F
7570677	1.1	0	0	0	0	2.85	0.8	0.83	0	5.99	11.6	0.0	F
7570678	1.85	0	0	0	0	6.15	4.6	0.38	0	5.95	18.9	0.0	F
7570680	2.25	0	0	0	0	6.75	0	0.00	0	1.97	11.0	0.0	F
7570681	2.75	5	0	0	0	8.25	0	2.03	0	5.86	23.9	0.0	F
7570682	4.05	5	5	0	5	10.65	0	7.05	13.5	6.00	56.3	2.0	C
7570683	2.55	0	5	0	0	7.95	0	3.08	0	5.93	24.5	0.0	F
7570684	3.25	0	0	0	0	5.25	2.8	4.58	0	6.00	21.9	0.0	F
7570686	2.75	0	0	5	0	7.05	0.4	6.00	0	6.00	27.2	0.0	F
7570687	1.35	0	0	0	0	6.6	0	0.00	0	2.46	10.4	0.0	F
7570688	3.55	0	0	0	0	4.5	0	0.53	0	4.85	13.4	0.0	F
7570689	4.6	5	5	0.5	0	13.05	4	4.80	0	5.77	42.7	1.0	D
7570690	3	5	5	5	5	15	14.5	9.00	24.3	6.00	91.8	4.0	A
7570691	4.75	5	5	5	5	15	7.8	11.85	28.35	6.00	93.8	4.0	A
7570692	0.1	0	0	0	0	3.15	2.8	0.00	0	4.20	10.3	0.0	F
7570694	3.1	5	0	0	0	6.75	0	4.80	0	6.00	25.7	0.0	F
7570695	0.1	0	0	0	0	3	0	0.90	0	3.65	7.7	0.0	F
7570696	2.15	0	0	0	0	5.7	0	0.75	0	5.20	13.8	0.0	F
7570697	5	5	5	5	5	13.05	15	8.93	18.9	5.58	86.5	4.0	A
7570698	4.15	5	5	0	2.5	7.65	15	4.43	0	5.70	49.4	1.5	D+
7570736	0	0	0	0	0	0	0	0.00	0	0.00	0.0	0.0	F
	Quiz 1	Quiz 2	Quiz 3	Quiz 4	Quiz 5	MidPaper	MidLab	FinalPaper	FinalLab	Assist	Total		
	5%	5%	5%	5%	5%	15%	25%	15%	25%	6%	100+%		

เกณฑ์	จำนวน
D	36
D+	46.5
C	52.5
C+	59
B	65
B+	72
A	80
F	< 36

ผ่าน	70
ไม่ผ่าน	110

Avg	0.8